




TEST RESULTS



Model	STC [^]	OITC ^{^^}	Exterior lite/IGU	Unsealed airspace	Interior lite
TR-10,200	38	29*	1/8"	2-1/2"	1/8"
TR-3500	40	25	1/4"	1-7/8"	1/8"
TR-3500	40	29	3/8"	1-7/8"	1/4"
TR-3800	40	30	1/4"	1-7/8"	1/8"
TR-3500	41	26	1/4"	1-7/8"	3/16"
TR-3800	41	28	1/4"	1-7/8"	3/16"
TR-2510	42	34	1/4"	1-1/2"	1/8"
TR-3410	42	30	3/4" IGU = 5/16" lami (.060") x 3/16"	1-7/8"	1/8"
TR-3410	42	31	3/4" IGU = 1/4" lami (.030") x 5/16" lami (.060")	1-7/8"	1/8"
TR-3800	42	28	3/8"	1-7/8"	1/4"
TR-2510	43	34	1/4"	1-1/2"	3/16"
TR-3100	44	34	11/16" IGU = 1/4" lami x 3/16"	1-1/2"	3/16"
TR-3410	44	32	1/4" lami (.015")	2-1/4"	1/8"
TR-3410	44	32	3/4" IGU = 1/4" lami (.015") x 1/8"	1-3/4"	1/8"
TR-3410	45	35	1/4" lami (.015")	2-1/4"	1/4"
TR-3410	45	34	3/4" IGU = 1/4" lami (.015") x 1/8"	1-3/4"	1/4"

[^]STC = Sound Transmission Class ^{^^}OITC = Outdoor-Indoor Transmission Class *Calculated